

HIGH SOLIDS FLOOR MAINTAINER

Floor Maintainer

FEATURES & APPLICATIONS

High Solids Floor Maintainer can be used in a wide range of institutional and commercial premises. It will maintain thermoplastic, linoleum, tiles, sealed wood, terrazzo and similar floors. Not only does it clean the dirtiest floors, its blend of waxes protects floors and buffs to a beautiful shine. It can be used as a complete floor treatment or can be used to 'top up' areas of heavy traffic leaving a fresh citrus fragrance.

Caution: Avoid wetting floors after treatment. Do not use on unsealed wood.

APPLICATION DETAILS

Task	Maximum Dilution	How To Use
Maintaining thermoplastic, linoleum, tiles, sealed wood, terrazzo etc.	1 in 30 with water (170ml per 5 Litres)	Damp mop floor then, when dry, buff to a shine with a hi- speed machine.
Light duty cleaning and topping up finish on linoleum, tiles, sealed wood, terrazzo, etc.	1 in 80 with water (60ml per 5 Litres)	Spray floor with solution, simultaneously buffing to a shine with a hi-speed machine.

Note: If using an ounce-a-matic dispenser, one measure = 30ml

PRODUCT AND PACKAGING INFORMATION

Appearance & Odour:	Opaque, blue liquid with citrus fragrance.
Chemical Description:	An aqueous solution of surfactants, waxes sequestering agents, perfume, preservative and dye.
Packaging:	2 x 5 litres
Shelf Life:	2 Years

ENVIRONMENTAL INFORMATION

General Information: This product is expected to have very little ecological impact.

Environmental Checklist:

Biodegradable detergents	Yes	CFC free	Yes	Solvent free	Yes
Phosphate free	Yes	Acid/alkali free	No	Free of dyes/perfumes	No
Recyclable packaging	Yes	Biodegradable container	No	Biodegradable outer box	Yes

FURTHER INFORMATION AVAILABLE ON REQUEST

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Commercial Name Intended/Recommended use	High Solids Floor Maintainer Concentrated Floor Maintainer	Supplier Address	Unico Ltd North Main Street, Carronshore, Falkirk FK2 8HT 01324 573400 01324 573401
Issue Date Issue Number	Nov'11 8	Telephone Fax	

2. HAZARDS IDENTIFICATION

2.1 Classification Product was classified as Irritant (Xi) according to Chemicals (Hazard Information Packaging & Supply) Regulations.

This product is classified under EC 1272/2008

Physical and Chemical Hazards	Not Classified
Human Health	May be harmful by inhalation
Environment	May be harmful to aquatic life

2.1 Label Elements Label in Accordance with (EC) No. 1272/2008



Signal Word
Hazard Statements

Warning
H400 Very Toxic to Aquatic Life
H318 Causes serious eye damage
H315 Causes skin irritation

Precautionary Statements

P102 - Keep out of the Reach of Children
P103 - Please read the label information before use.
EUH 210 - Safety data sheet available on request.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P305 + P351 + P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P281 Use personal protective equipment as required.
Wear eye piece protection when handling concentrated product.
Rubber /impervious Gloves for skin protection. When handling concentrated product

3. COMPOSITION OF PRODUCT AND INFORMATION ON INGREDIENTS

2.1 Mixtures

Concentrations below the concentration limit for classification in mixtures means that substance not reaching this does not need to be classified. Those that do not reach this concentration will still be included as indicative advice only.

Alcohol Ethoxylate				1 – 10%
CAS-No.: 68439-45-2	EC No.: 230-785-7			
Classification (EC 1272/2008)	Chronic Aq. 3 – H412			
Eye Damage 2 – H318	Skin Irritant 2 – H315	Acute Aq. 1 – H400	Acute oral / skin 4 – H302/312	

<u>NAME</u>	<u>RANGE</u>	<u>EINECS</u>	<u>CAS No</u>	<u>Conc. Limit for Classification</u>
Trisodium NTA	0.1-1%	--	5064-31-3	1%
Perfume (Parfum)	0.1-1%	Mixed	Mixed	1%
Diethyl Ethanolamine	0.1-1%	202-845-2	100-37-8	1%
Methylchloroisothiazolinone	<0.1%	247-500-7	6172-55-4	0.1%
Methylisothiazolinone	<0.1%	220-239-6	2682-20-4	0.1%
C.I. 61585	<0.1%	224-748-4	4474-24-2	0.1%
C.I. 19140 Yellow 5	<0.1%	217-699-5	1934-21-0	0.1%
Limonene (Perfume Allergen)	<0.1%	227-813-5	5989-27-5	0.1%
Citral (Perfume Allergen)	<0.1%	--	5392-40-5	0.1%

4. FIRST AID MEASURES

4.1 Description of first aid measures

- Ingestion** Drink a glass of water to dilute product. Do not induce vomiting. Act immediately to prevent further irritation of mouth, throat and stomach mucosa.
- Inhalation** No ill effects expected at concentrations used. If irritation is experienced go in open air and ventilate area. Mouth and throat may be rinsed with water.
- Eye Contact** Check for and remove contact lenses. Rinse thoroughly with plenty of water for several minutes.
- Skin Contact** Rinse affected area with water as instructed, if needed apply a cold compress to relieve irritation.

4.2 Most Important symptoms and effects, both acute & chronic

Where irritation of tissue occurs, stinging and redden accompanied by some discomfort for a short period after exposure no further exposure until condition improves. No Chronic effects known at the concentrations used in the mixture

4.3 Indication of any immediate medical attention and special treatment needed

If irritation to the mouth, throat, stomach, skin, eyes or respiratory system occurs and doesn't subside within a few minutes after the first aid measures have been carried out, seek immediate medical advice and have this SDS or the product label to hand.

A cold compress can be used to alleviate skin irritation.

5. FIRE FIGHTING MEASURES

- 5.1 Suitable extinguishing media** This product is not flammable. Use fire extinguishing media appropriate for surrounding area.
- Unsuitable extinguishing media** Not applicable.
- 5.2 Special hazards arising from the substance or mixture** Fumes may contain poisonous oxides of carbon and nitrogen (CO_x & NO_x) if affected by fire.
- 5.3 Advice for firefighters** Use appropriate extinguishing media for fires in the area. Firefighters should wear self-contained breathing apparatus if heat generated breakdown products are likely to be present

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and eyeshields.

6.2 Environmental Precautions

Avoid spillage into surface water drains, soil / subsoil or vegetation.

6.3 Methods and material for containment and cleaning up

Hose away with plenty of water, diluting well, unless this would contaminate a water source or vegetation. In which case either collect, dilute as earlier and pour down waste drain (foul sewer) or absorb onto dry sand or similar material and dispose of safely as commercial waste.

7. HANDLING AND STORAGE

- 7.1 Handling** Take care when dispensing product from container. Avoid contact with skin and eyes. Do not mix with any other chemicals.
- 7.2 Storage** Store upright in original containers in a cool dry area out of the reach of children.
- 7.3 Specific end use(s)** Use only as directed by the front page of this document and the product label

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Note: No substances above 1% in the product with a listed exposure limit in EH40

8.2 Exposure Control

- Respiratory Protection** Personal protection is not normally required unless a risk assessment indicates the need for it .In which case wear a facemask with a suitable particulate filter.
- Skin Protection** Personal protection is not normally required unless a risk assessment indicates the need for it .In which case wear protective overalls and safety shoes/boots.
- Eye Protection** Personal protection is not normally required unless a risk assessment indicates the need for it .In which case ear eyeshields.
- Hand Protection** For prolonged contact or sensitive skin the use of rubber gloves is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Yellow Liquid	Flash Point (ACC)	Above 60°C
Odour	Surfactant	Viscosity (20C)	200p approximately
pH	12.5 typically	Water Solubility	Soluble

9.2 Other Information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity	Not known to react with other chemicals
10.2 Chemical Stability	No stability concerns
10.3 Hazardous Reactions	None known
10.4 Conditions to Avoid	Extreme heat or cold
10.5 Incompatible Materials	None known.
10.6 Hazardous decomposition products	None when handled and stored correctly.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Consideration is only given to components with greater than 1% based on the product formulation and those with a listed exposure limit in Section 8.

Acute Toxicity – Irritant to tissue and eyes.

Component	LD-50, Oral, mg/kg	LD-50, Skin mg/kg	LC-50 (Inhalation)	Chronic Consideration
Alcohol Ethoxylate	1000-2000 (rat)	1000-2000 (rabbit)	-	None known

Chronic Toxicity

Carcinogenicity	One of the low concentrations elements (Trisodium NTA) has a CARC 2 classification in its concentrated form
Sensitization	No information available.
Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Target Organs	No information available
Endocrine Disruptor Info.	No information available.

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information

12. ECOLOGICAL INFORMATION

12.1 Toxicity Ecotoxicity effects

Component	Toxicity to Fish LC-50, mg/l	Exposure Time, Hrs	Comments
Alcohol Ethoxylate	8.5 (Pimephales promelas)	96	

12.3 Bioaccumulation Potential

With the current information available, when used for its intended purpose this product will not cause adverse effects in the environment.

12.4 Mobility in soil No information available

12.5 Aquatic Toxicity With the current information available, this is judged to be low at the dilutions that exist.

12.6 Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Discharge used working solutions to drain is acceptable in small amounts due to the dilution of running water. Small amounts (less than 1 Litre)

of unwanted concentrated product may be flushed with water to sewer with at least 15 minutes of running water.

Larger volumes of the concentrated product must be sent for disposal using a licensed waste disposal contractor.

Rinse out empty container with water and consign to normal waste.

14. TRANSPORT

Not regulated for Transport with current knowledge

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Guidance

Workplace Exposure Limits EH40.

The National Institute for Occupational Safety and Health (NIOSH) register of Immediately Dangerous to Life or Health Concentrations (IDLH)

16. OTHER INFORMATION

This product does not require any special training before use. Usage and handling instructions are mentioned on packaging and on the first page of this Safety Data Sheet. This health and safety information refers to the concentrated product and has been prepared assuming the intended described use is adhered to. Any unusual or novel use of this product is done without being assessed for the impact nor is it part of the considerations in this document.

Diluted solutions can be considered to be significantly less hazardous although they should always be handled with care.

Key literature references and sources for data

Safety Data Sheet, Misc. manufacturers.

CLP Classification - Table 3.1 List of harmonised classification and labelling of hazardous substances.

CHIP Classification - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC.

ECHA - C&L Inventory database.

Revision comments

This product is now using classification from GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Revision date 01/05/2017

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.

Hazard statements in full

H302 Harmful if swallowed

H312 Harmful in contact with skin

H315 Causes skin irritation

H318 Causes serious eye damage

H400 Very toxic to aquatic life

H412 Harmful to aquatic life with long-lasting effects